EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6359	shionogi.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:47
L2	. 37	L1 and asparagine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:47
L4	5	((YASUHIRO) near2 (TAKEGAWA)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/16 13:48
L5	25	((SHINICHIRO) near2 (NISHIMURA)).INV.	US-PGPUB; USPAT; USOCR	OR	ÓN	2007/11/16 13:48
S4	6359	shionogi.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/16 13:47
S5	336	S4 and (saccharide or sugar or asparagine or disaccharide or trisaccharide)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:01

Welcome to STN International! Enter x:x

LOGINID: SSPTALDB1623

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                 Web Page for STN Seminar Schedule - N. America
NEWS
                 LMEDLINE coverage updated
NEWS
      2 JUL 02
NEWS 3 JUL 02 SCISEARCH enhanced with complete author names
NEWS 4 JUL 02 CHEMCATS accession numbers revised
NEWS 5 JUL 02 CA/CAplus enhanced with utility model patents from China
NEWS 6 JUL 16 CAplus enhanced with French and German abstracts
NEWS 7 JUL 18 CA/CAplus patent coverage enhanced
NEWS 8 JUL 26 USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS 9 JUL 30 USGENE now available on STN
NEWS 10 AUG 06 CAS REGISTRY enhanced with new experimental property tags
NEWS 11 AUG 06
                FSTA enhanced with new thesaurus edition
NEWS 12 AUG 13 CA/Caplus enhanced with additional kind codes for granted
                 patents
                CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS 13 AUG 20
NEWS 14 AUG 27
                 Full-text patent databases enhanced with predefined
                 patent family display formats from INPADOCDB
                 USPATOLD now available on STN
NEWS 15 AUG 27
NEWS 16 AUG 28 CAS REGISTRY enhanced with additional experimental
                 spectral property data
                 STN AnaVist, Version 2.0, now available with Derwent
NEWS 17
         SEP 07
                 World Patents Index
                 FORIS renamed to SOFIS
NEWS 18 SEP 13
                 INPADOCDB enhanced with monthly SDI frequency
NEWS 19 SEP 13
NEWS 20 SEP 17 CA/CAplus enhanced with printed CA page images from
                 1967-1998
                 CAplus coverage extended to include traditional medicine
NEWS 21 SEP 17
                 patents
                 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 22 SEP 24
NEWS 23 OCT 02 CA/CAplus enhanced with pre-1907 records from Chemisches
                 Zentralblatt
         OCT 19
                 BEILSTEIN updated with new compounds
NEWS 24
         NOV 15 Derwent Indian patent publication number format enhanced
NEWS 25
NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
              CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
              Welcome Banner and News Items
              For general information regarding STN implementation of IPC 8
NEWS IPC8
Enter NEWS followed by the item number or name to see news on that
```

specific topic.

All use of STN is subject to the provisions of the STN Customer

agreement. Please note that this agreement limits use to scientific

research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 10:21:39 ON 16 NOV 2007

=> file reg
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 10:21:43 ON 16 NOV 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 15 NOV 2007 HIGHEST RN 953991-83-8 DICTIONARY FILE UPDATES: 15 NOV 2007 HIGHEST RN 953991-83-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END): end

=> screen 1839

L7 SCREEN CREATED

=> screen 1840

L8 SCREEN CREATED

Uploading C:\Program Files\Stnexp\Queries\10584065\mannose disaccharide.str

chain nodes :

7 14 15 16 17 18 19 20 21 22 23

ring nodes :

1 2 3 4 5 6 8 9 10 11 12 13

chain bonds :

1-17 2-16 3-14 5-7 6-18 7-8 9-19 11-21 12-22 13-23 14-15 19-20

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 8-9 8-13 9-10 10-11 11-12 12-13

exact/norm bonds :

exact bonds :

3-14 9-19

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS

STRUCTURE UPLOADED L9


=> que L9 AND L7 NOT L8

L10 QUE L9 AND L7 NOT L8

=> d

L10 HAS NO ANSWERS

L7 SCR 1839 L8 SCR 1840 L9 STR



Structure attributes must be viewed using STN Express query preparation. L10 QUE ABB=ON PLU=ON L9 AND L7 NOT L8

50 ANSWERS

3247 ANSWERS

=> s 110

SAMPLE SEARCH INITIATED 10:22:36 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 307 TO ITERATE

100.0% PROCESSED 307 ITERATIONS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 5089 TO 7191

PROJECTED ANSWERS: 2671 TO 4249

L11 50 SEA SSS SAM L9 AND L7 NOT L8

=> s 110 full

FULL SEARCH INITIATED 10:22:41 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 6047 TO ITERATE

100.0% PROCESSED 6047 ITERATIONS SEARCH TIME: 00.00.01

L12 3247 SEA SSS FUL L9 AND L7 NOT L8

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=> screen 1840

L13 SCREEN CREATED

=> screen 1841

L14 SCREEN CREATED

Uploading C:\Program Files\Stnexp\Queries\10584065\trisaccharide 2.str

chain nodes : 7 14 15 16 17 18 19 20 21 22 23 30 31 32 33 ring nodes : 1 2 3 4 5 6 8 9 10 .11 12 13 24 25 26 27 28 chain bonds : 1-17 2-16 3-14 5-7 6-18 7-8 9-19 11-21 12-22 13-23 14-15 19-20 24-32 26-30 28-33 29-34 30-31 ring bonds : 1-2 1-6 2-3 3-4 4-5 5-6 8-9 8-13 9-10 10-11 11-12 12-13 24-25 24-29 25-26 26-27 27-28 28-29 exact/norm bonds : 1-2 1-6 1-17 2-3 2-16 3-4 4-5 5-6 5-7 6-18 7-8 8-9 8-13 9-10 10-11 11-12 11-21 12-13 12-22 13-23 14-15 19-20 21-25 24-29 24-25 24-32 25-26 26-27 27-28 28-29 28-33 29-34 30-31 exact bonds : 3-14 9-19 26-30

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:Atom 9:Atom 10:Atom 11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:CLASS 18:CLASS 19:CLASS 20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:CLASS 31:CLASS 32:CLASS 33:CLASS 34:CLASS

L15 STRUCTURE UPLOADED

=> que L15 AND L13 NOT L14

L16 QUE L15 AND L13 NOT L14

=> d L16 HAS NO ANSWERS L13 SCR 1840 L14 SCR 1841 L15 STR



Structure attributes must be viewed using STN Express query preparation. L16 QUE ABB=ON PLU=ON L15 AND L13 NOT L14

3 ANSWERS

=> s 116

SAMPLE SEARCH INITIATED 10:24:21 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 72 TO ITERATE

100.0% PROCESSED 72 ITERATIONS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 931 TO 1949
PROJECTED ANSWERS: 3 TO 163

L17 3 SEA SSS SAM L15 AND L13 NOT L14

=> s l16 full

FULL SEARCH INITIATED 10:24:25 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 1421 TO ITERATE

100.0% PROCESSED 1421 ITERATIONS 32 ANSWERS

SEARCH TIME: 00.00.01

L18 32 SEA SSS FUL L15 AND L13 NOT L14

=> d his

(FILE 'HOME' ENTERED AT 10:21:39 ON 16 NOV 2007)

FILE 'REGISTRY' ENTERED AT 10:21:43 ON 16 NOV 2007

L1 SCREEN 1840

L2 SCREEN 1841

L3 STRUCTURE UPLOADED

L4 QUE L3 AND L1 NOT L2

L5 0 S L4 L6 0 S L4 FULL L7 SCREEN 1839 L8 SCREEN 1840 STRUCTURE UPLOADED L9 QUE L9 AND L7 NOT L8 L10 50 S L10 L11 3247 S L10 FULL L12L13 SCREEN 1840 L14 SCREEN 1841 STRUCTURE UPLOADED L15 L16 QUE L15 AND L13 NOT L14 3 S L16 L17 32 S L16 FULL 1.18

=> file caplus

SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 10:24:32 ON 16 NOV 2007 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Nov 2007 VOL 147 ISS 22 FILE LAST UPDATED: 15 Nov 2007 (20071115/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

http://www.cas.org/infopolicy.html

=> s 118 and 112

44 L18

50716 L12

4 L18 AND L12 L19

=> d l19 1-4 ibib abs hitstr

L19 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:735898 CAPLUS

DOCUMENT NUMBER: 136:53977

TITLE: Microbial Glycosyltransferases for Carbohydrate

Synthesis: α -2,3-Sialyltransferase from

Neisseria gonorrheae

AUTHOR (S): Izumi, Masayuki; Shen, Gwo-Jenn; Wacowich-Sgarbi,

Shirley; Nakatani, Takuji; Plettenburg, Oliver; Wong,

517.20

517.41

Chi-Huey

CORPORATE SOURCE: Department of Chemistry and the Skaggs Institute for

Chemical Biology, The Scripps Research Institute, La

Jolla, CA, 92037, USA

SOURCE: Journal of the American Chemical Society (2001),

123(44), 10909-10918

CODEN: JACSAT; ISSN: 0002-7863

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal LANGUAGE: English

OTHER SOURCE(S): CASREACT 136:53977

The α -2,3-sialyltransferase from Neisseria gonorrheae was overproduced in E. coli for exploitation of its substrate specificity and synthetic utility. Several potential acceptor substrates were synthesized in this study, including mono- and oligosaccharides, glycolipids, and glycopeptides and their sulfate derivs. Some CMP-sialic acid derivs. with modification at the C-5 position were also prepared for evaluation as donor substrates. It was found that the enzyme exhibits a broader acceptor substrate specificity when compared to other sialyltransferases, though the donor specificity is quite limited. Application of the enzyme to the preparative synthesis of representative sialyl glycoconjugates has been demonstrated. On the basis of this work and the work of others, this enzyme is the most versatile and synthetically useful among all

sialyltransferases known to date, especially for the synthesis of

sulfate-containing

glycoconjugates.

IT 125712-73-4P

RL: BPN (Biosynthetic preparation); BIOL (Biological study); PREP (Preparation)

(preparation of mono-, oligosaccharides, glycopeptides, glycolipids, and glycoconjugates as acceptor substrates for $\alpha\text{--}2,3\text{--}$

sialyltransferase from Neisseria gonorrhoeae)

RN 125712-73-4 CAPLUS

CN Octadecanamide, N-[(1S,2R,3E)-1-[[(4-O- β -D-galactopyranosyl- β -D-glucopyranosyl)oxy]methyl]-2-hydroxy-3-heptadecenyl]- (CA INDEX NAME)

Absolute stereochemistry. Double bond geometry as shown.

Me
$$(CH_2)_{16}$$
 NH OH OH OH OH OH OH OH

63-42-3 52211-61-7 106256-81-9 122759-52-8 301844-03-1 381716-64-9

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of mono-, oligosaccharides, glycopeptides, glycolipids, and glycoconjugates as acceptor substrates for α -2,3-sialyltransferase from Neisseria gonorrhoeae)

RN 63-42-3 CAPLUS

ΙT

CN D-Glucose, 4-O-β-D-galactopyranosyl- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 52211-61-7 CAPLUS CN β -D-Glucopyranoside, 2-propen-1-yl 4-O- β -D-galactopyranosyl-(CA INDEX NAME)

Absolute stereochemistry.

RN 106256-81-9 CAPLUS CN α -D-Glucopyranose, 4-O-(2,3,4,6-tetra-O-acetyl- β -D-galactopyranosyl)-, 2,3,6-triacetate 1-(2,2,2-trichloroethanimidate) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

RN 122759-52-8 CAPLUS CN β -D-Glucopyranoside, octadecyl 4-O- β -D-galactopyranosyl- (9CI) (CA INDEX NAME)

RN 301844-03-1 CAPLUS

CN D-Glucose, O- β -D-galactopyranosyl-(1 \rightarrow 4)-O-2-(acetylamino)-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 4)-O-2-(acetylamino)-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 4)-2-(acetylamino)-2-deoxy-, 6-(hydrogen sulfate) (CA INDEX NAME)

Absolute stereochemistry.

RN 381716-64-9 CAPLUS

CN Carbamic acid, [(1S,2R,3E)-1-[[(4-O- β -D-galactopyranosyl- β -D-glucopyranosyl)oxy]methyl]-2-hydroxy-3-heptadecenyl]-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry as shown.

REFERENCE COUNT:

THERE ARE 80 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

80

ACCESSION NUMBER: 1998:552279 CAPLUS

DOCUMENT NUMBER: 129:231079

TITLE: Synthesis and functions of a glycopolymer carrying

Galβ1→4 (GlcNAc) 3 tetrasaccharide

AUTHOR(S): Kobayashi, Kazukiyo; Kamiya, Shoko; Matsuyama, Minoru;

Murata, Takeomi; Usui, Taichi

CORPORATE SOURCE: Graduate School of Engineering, Nagoya University,

Nagoya, 464-8603, Japan

SOURCE: Polymer Journal (Tokyo) (1998), 30(8), 653-658

CODEN: POLJB8; ISSN: 0032-3896

PUBLISHER: Society of Polymer Science, Japan

DOCUMENT TYPE: Journal LANGUAGE: English

AB Tetrasaccharide $Gal\beta1\rightarrow4$ (GlcNAc)3 was synthesized from

N, N', N''-triacetylchitotriose (GlcNAc)3 and lactose using

transglycosylation with a $\beta\text{-D-galactosidase}$ from Bacillus circulans.

The reducing terminal of Galβ1→4 (GlcNAc)3 was oxidized and

connected to p-vinylbenzylamine via amide linkage, and the resulting

oligosaccharide-substituted styrene monomer was polymerized with the radical

initiator, 2,2'-azobis(2-amidinopropane) dihydrochloride at 60°C.

Glycopolystyrene was found to bind strongly with wheat germ agglutinin and

tomato (Lycopersicon esculentum) agglutinin by inhibition of

hemagglutination and double diffusion.

IT 83143-51-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(intermediate for monomer; synthesis and agglutinin binding of glycopolystyrene carrying $Gal\betal \rightarrow 4$ (GlcNAc)3 tetrasaccharide)

RN 83143-51-5 CAPLUS

CN D-Glucose, O- β -D-galactopyranosyl- $(1\rightarrow 4)$ -O-2-(acetylamino)-2-

 $deoxy-\beta-D-glucopyranosyl-(1\rightarrow 4)-0-2-(acetylamino)-2-deoxy-$

 β -D-glucopyranosyl- $(1\rightarrow 4)$ -2-(acetylamino)-2-deoxy-(9CI) (CA

INDEX NAME)

Absolute stereochemistry.

IT <u>63-42-3</u>, Lactose

RL: RCT (Reactant); RACT (Reactant or reagent)

(starting material for monomer; synthesis and agglutinin binding of glycopolystyrene carrying $Gal\betal \rightarrow 4$ (GlcNAc)3 tetrasaccharide)

RN 63-42-3 CAPLUS

CN D-Glucose, 4-O-β-D-galactopyranosyl- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

REFERENCE COUNT: 31 THERE ARE 31 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L19 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1994:701191 CAPLUS

DOCUMENT NUMBER: 121:301191

TITLE: Enzymic synthesis of the trisaccharide core region of

the carbohydrate chain of N-glycoprotein

AUTHOR(S): Usui, Taichi; Suzuki, Masahiro; Sato, Toshinari;

Kawagishi, Hirokazu; Adachi, Kyoko; Sano, Hiroshi

CORPORATE SOURCE: Fac. Agric., Shizuoka Univ., Shizuoka, 422, Japan

SOURCE: Glycoconjugate Journal (1994), 11(2), 105-10 CODEN: GLJOEW; ISSN: 0282-0080

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 121:301191

Transmannosylation from mannotriose (Man β 1-4Man β 1-4Man) to the 4-position at the nonreducing end N-acetylglucosaminyl residue of N,N'-diacetylchitobiose was regioselectively induced through the use of β -D-mannanase from Aspergillus niger. The enzyme formed the trisaccharide Man β 1-4GlcNAc β 1-4GlcNAc (3.7% of the enzyme-catalyzed net decrease of N,N'-diacetylchitobiose) from mannotriose as a donor and N,N'-diacetylchitobiose as an acceptor. Mannobiose (Man β 1-4Man) was also shown to be useful as a donor substrate for the desired trisaccharide synthesis.

IT 159266-33-8P 159266-34-9P

RL: BPN (Biosynthetic preparation); BIOL (Biological study); PREP (Preparation)

(mannanase regioselective transmannosidation of oligosaccharides)

RN 159266-33-8 CAPLUS

CN β -D-Glucopyranose, O- β -D-mannopyranosyl-(1 \rightarrow 4)-O-2-

 $(acetylamino) - 2 - deoxy - \beta - D - glucopyranosyl - (1 \rightarrow 4) - 2 - (acetylamino) - (1 \rightarrow 4) - ($

2-deoxy- (CA INDEX NAME)

RN 159266-34-9 CAPLUS CN α -D-Glucopyranose, O- β -D-mannopyranosyl-(1 \rightarrow 4)-O-2-(acetylamino)-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 4)-2-(acetylamino)-2-deoxy- (CA INDEX NAME)

Absolute stereochemistry.

L19 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER:

1992:57579 CAPLUS

DOCUMENT NUMBER:

116:57579

TITLE:

Oligosaccharide compositions and their manufacture

with β-galactosidase

INVENTOR(S):

Usui, Yasuichi; Sakai, Kazuo; Katsumi, Ryosuke; Nanjo,

Fumio; Ishikawa, Masato

PATENT ASSIGNEE(S):

Yaizu Suisan Kagaku Kogyo K. K., Japan

SOURCE:

Jpn. Kokai Tokkyo Koho, 4 pp.

CODEN: JKXXAF

DOCUMENT TYPE:

LANGUAGE:

Patent Japanese

FAMILY ACC. NUM. COUNT:

1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
				'
JP 03175990	A	19910731	JP 1989-314333	19891205
JP 2927845	B2	19990728		
PRIORITY APPLN. INFO.:			JP 1989-314333	19891205

Oligosaccharide compns. containing $Gal\beta(1\rightarrow 4)$ [GlcNAc]n (I; Gal=galactose residue; GlcNAc=N-acetylglucosamine residue; n=2-6) are manufactured by treating lactoses and N-acetyl chitooligosaccharides with β -galactosidase. The compns. are useful as bifidus factors. An aqueous solution containing 0.9 g lactose and 2.1 g di-N-acetylchitobiose was treated with Biolacta (β -galactosidase from Bacillus circulans) at 30° for 30 h to produce I (n=2).

IT 138661-71-9P

RL: BMF (Bioindustrial manufacture); BIOL (Biological study); PREP (Preparation)

(manufacture of, with $\beta\text{-galactosidase},$ from lactoses and acetylchitooligosaccharides)

RN 138661-71-9 CAPLUS

CN D-Glucose, $O-\beta$ -D-galactopyranosyl- $(1\rightarrow 4)$ -O-2-(acetylamino)-2-deoxy-D-glucopyranosyl- $(1\rightarrow 4)$ -O-2-(acetylamino)-2-deoxy-D-glucopyranosyl- $(1\rightarrow 4)$ -2-(acetylamino)-2-deoxy-(CA INDEX NAME)

IT 63-42-3, Lactose

RL: BIOL (Biological study)

(oligosaccharide compns. manufacture from acetylchitooligosaccharides and,

 $\begin{array}{cc} \text{with } \beta\text{-galactosidase}) \\ \text{RN} & 63\text{-}42\text{-}3 & \text{CAPLUS} \end{array}$

CN D-Glucose, $4-O-\beta-D$ -galactopyranosyl- (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).

=> FIL STNGUIDE SINCE FILE TOTAL COST IN U.S. DOLLARS ENTRY SESSION FULL ESTIMATED COST 22.02 539.43 DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE TOTAL ENTRY SESSION CA SUBSCRIBER PRICE -3.12 -3.12

FILE 'STNGUIDE' ENTERED AT 10:25:28 ON 16 NOV 2007 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Nov 9, 2007 (20071109/UP).

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.72	540.15
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-3.12

STN INTERNATIONAL LOGOFF AT 10:32:35 ON 16 NOV 2007